



EB3FX/TT - FilterFlow Counter-top Automatic Water Boiler - W 250 mm - 3.0 kW

The FilterFlow Automatic Water Boiler comes with a twin tank, allowing you to set two different temperatures for the perfect cup of tea.

- ✓ Twin tank model, tanks can be set to different temperatures - ideal for brewing black teas at 98°C and green teas at 71°C
- ✓ Lockable mode prevents water being dispensed without the input of a PIN code, perfect for schools, prisons, care homes and settings with vulnerable individuals
- ✓ Narrow 250mm footprint saves valuable counter space without compromising capacity or performance
- ✓ Built-in water filtration system improves water quality and reduces scale build-up. High volume, easy change FilterFlow cartridge
- ✓ Easily operated from a large, colour touchscreen display. Menu navigation is quick and easy with the temperature and timer simple to adjust
- ✓ Eco setting reduces the volume of boiling water by 50% for quieter periods. The intelligent predictive eco setting learns usage patterns and switches between eco mode and standard mode to deliver the required hot water output in the most economical way
- ✓ 7-day timer allows the boiler to be programmed to switch off overnight or at weekends to conserve energy
- ✓ Enhanced diagnostics identify possible causes. The on screen diagnostic information will enable the engineer to identify the parts needed and repair your water boiler at first visit

Specifications

Summary

Range Name	FilterFlow
Power Type	Electric
Unit Type	Counter-top
Available in UK Only	No
UK Warranty	2 Years Parts and Labour Warranty
Export Warranty	Contact your local dealer
GTIN Code	5056105101390

Power and Performance

Hot and Cold Water Output	No
Rapid Draw Off Litres	2 x 4.5
Total Power kW	3.0
Temperature Range °C	70 - 98
IP Rating	IP23
Rapid Draw Off Cups	45
Hourly Output Litres	25
Hourly Output Cups	125
Temperature Control	Electronic

Key Specifications

Capacity Litres	15.0
Outlet	Twin-tap
Dispense Lock	No
WRAS Approved	Yes

Weights and Dimensions

Unit Height (External) mm	596
Unit Width (External) mm	250
Unit Depth (External) mm	525
Net Weight Kg	17.1

Supply Connections

Requires Installation	No
UK 3 Pin Plug	Yes
Requires Hardwiring	No
Electrical Supply Rating Watts	3,000
Single Phase Amps	13.0
Single Phase Voltage	230
Water Connection BSPT	3/4"
Water Connection Pressure Bar	6.0

Shipping

Packed Weight Kg	19.7
Packed Height cm	53
Packed Width cm	69.5
Packed Depth cm	36.6

Available Accessories

BR55

Product Code: EB3FX/TT

FR3FX AND FR4FX WAI | BRACKFT



Page Number: 1

Print Date: 06/03/2019

Available Accessories

DP10	DESCALER POWDER
FC04	EBFX WATER FILTER - FROM 2015

Technical Picture



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm