



LCS110I - Lincat CombiSlim 1.10 Electric Counter-top Combi Oven - Injection - W 513 mm - 12.7kW

Gain maximum flexibility using minimum space with CombiSlim ovens.

- ✔ Gain maximum flexibility using minimum space with CombiSlim ovens. These combi ovens measure only 51,3 cm in width and fit into all professional kitchens
- ✔ CombiSlim ovens are ideal for small-scale food production in take-away shops, cafés, etc
- ✔ Intuitive touch display SmartTouch® for programming
- ✔ 1/1GN compatible
- ✔ Steam injection, with CombiSmart® humidity control
- ✔ Ability to create cooking programmes with up to 15 steps
- ✔ Rack timer allowing accurate cooking times for different items on different shelves
- ✔ Two-step safety handle

Specifications

Summary Power and Performance

Brand	Lincat	Total Power kW	12.7
Range	Lincat Combi Ovens	Temperature Range °C	30-300
Series	CombiSlim	IP Rating	IPX4
Power Type	Electric	Temperature Control	Electronic
Unit Type	Counter-top	Oven Rating kW	Steam connection = N/A; Hot air connection = 12.7
Available in UK Only	Yes		
UK Warranty	2 Years Parts and Labour Warranty		
GTIN	5056105120605		

Key Specifications Capacity

WRAS Approved	Yes	Gastronorm Capacity	10 x GN1/1
Type of Lighting	Halogen	Portions per Day	90
Number of Grids included	0		

Weights and Dimensions Supply Connections

Unit Height (External) mm	948	Requires Installation	Yes
Unit Width (External) mm	513	Requires Electrical Supply	Yes
Unit Depth (External) mm	811	UK 3 Pin Plug	No
Height (Internal) mm	550	Requires Hardwiring	Yes
Width (Internal) mm	400	Electrical Supply Rating Watts	12,700
Depth (Internal) mm	630	Three Phase Amps	L1=21.0; L2=21.0; L3=21.0
Net Weight Kg	81	Three Phase Voltage	400
		Water Connection Pressure Bar	2.5-7
		Drain Connection	DN 40 mm
		Water Connection	3/4"

Shipping

Packed Weight Kg	89.1
Packed Height cm	110
Packed Width cm	60
Packed Depth cm	95

Available Options

INSTALLATION

LCO2001 Site Survey & Installation

COMMISSIONING

LCO3001 Commissioning




R/H DOOR INSTALL

LCO2002 Right Hinged Door Installation

Available Accessories

LCA1013LR	Lincat Combi Oven CombiPlus Stacking Kit and Low Floor Stand - for CombiSlim 1.06 on 1.06
LCA1014LR	Lincat Combi Oven CombiPlus Stacking Kit and Low Floor Stand - for CombiSlim 1.06 on 1.10
LCA3003	Lincat Combi Oven Imperial Non-stick Container - GN1/1(325 x 530 mm) - 20 mm deep
LCA3005	Lincat Combi Oven Imperial Non-stick Container - GN1/1(325 x 530 mm) - 40 mm deep
LCA3007	Lincat Combi Oven Imperial Non-stick Container - GN1/1(325 x 530 mm) - 60 mm deep
LCA3009	Lincat Combi Oven Imperial Pizza and Grilling Sheet - GN1/1(325 x 530 mm)
LCA3011	Lincat Combi Oven Imperial Grilling Grid - GN1/1(325 x 530 mm)
LCA3012	Lincat Combi Oven Imperial Potato Grid - GN1/1(325 x 530 mm) - 28 Potato Capacity
LCA3013	Lincat Combi Oven Imperial Multi-tray - 8 Moulds - GN1/1(325 x 530 mm)
LCA3015	Lincat Combi Oven Non-stick Aluminium Baking Sheet - GN1/1(325 x 530 mm)
LCA3017	Lincat Combi Oven Non-stick Perforated Aluminium Baking Sheet - GN1/1(325 x 530 mm)
LCA3019	Lincat Combi Oven Silicone Baking Mat - GN1/1(325 x 530 mm)
LCA3021	Lincat Combi Oven Steamfry Basket - GN1/1(325 x 530 mm)
LCA3023	Lincat Combi Oven Rack for Spare Ribs - GN1/1(325 x 530 mm)
LCA3024	Lincat Combi Oven Chicken Grid - GN1/2(325 x 265 mm) - 4 Chicken Capacity
LCA3025	Lincat Combi Oven Chicken Grid - GN1/1(325 x 530 mm) - 8 Chicken Capacity
LCA4001	Lincat Combi Oven Software Key - Quick Select Recipes (QSR)
LCA4002	Lincat Combi Oven Software Key - Advanced Rack Timer - Tailored Menu Handling
LCA5003	Lincat Combi Oven Condenser Hood - for CombiSlim Models
LCA6006	Lincat Combi Oven Static Stand for CombiSlim - Open Stand
LCC1001	Hydro Shield 3600 (L) Water Filter Cartridge - Recommended for CombiSlim and Visual Cooking 1.06/1.10
LCC1002	Hydro Shield 6000 (XL) Water Filter Cartridge - Recommended for Visual Cooking 1.20/2.06/2.10/2.20 and all Combi Ovens in hard water areas
LCC1003	Hydro Shield 3600 (L) Water Filter Kit - Including Filter, Filter Head and Hose - Recommended for CombiSlim and Visual Cooking 1.06/1.10
LCC1004	Hydro Shield 6000 (XL) Water Filter Kit - Including Filter, Filter Head and Hose - Recommended for 1.20/2.06/2.10/2.20 + all Ovens in hard water areas
LCC2003	Lincat Protect Intense Detergent - 2 x 5l
LCC2005	Lincat Protect Cleaning Package - 6 x 5l Intense Detergent and 2 x 5l Rinse Aid
LCC2006	Lincat Protect Rinse Aid - 2 x 5l

Technical Picture



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm