



Product Code: XR3H

xtra by Foster 1/3 Refrigerated Counter



Features & Benefits

- The xtra range: Built for you, designed for your budget
- Reliable and robust refrigeration at an affordable price
- In stock and available now for immediate shipping
- Robust stainless steel finish
- Easy read microprocessor controller provides simple and accurate temperature control
- Full Foster 2 years parts and labour warranty

Shelving

3 shelves (GN1/1)	Standard
Additional S/S Trayslides	Option
Additional GN1/1 Shelf	Option

Refrigeration

R134a - Industry Standard	Standard
R290 - Energy Efficient	Standard

Specification

Refrigerator +2/+8°C	Standard
Width (mm)	1775
Depth (mm)	700
Height (mm)	855
Gross Volume (Ltr)	435

Base Fittings

Remote Refrigeration System	Option
Legs 100mm	Option
Legs 150mm	Option

Electrical & Service Data

230/50/1	Standard
220/60/1 Electrical Supply	Option
Fuse Required (A)	10
Refrigerant Charge (kg)	0.240

Finish

s/s ext & alu int	Standard
------------------------------	----------

Doors

Solid	Standard
Left Hand Hinged Door	Option
Basket drawers	Option

Product Extras

Splashback	Option
Stainless steel rear	Option

Energy

kWh (24 hours)	3.0568
AEC	1305.24
Nett Volume	276.5
Energy Grade	D
Global Warming Potential	1430
Energy Efficiency Index	52.29



Application

This appliance is intended for use in ambient temperatures up to {1}°C

Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit [our policies](#)



Energy



Quality



Value



Design



Hygiene



After Care

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU

Phone 08432 168800 | Email sales@foster-uk.com | Visit www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.